



## PUZZLE PARKING (ON-GROUND-2 LEVEL)










# ON GROUND (3 LEVEL-FRONT VIEW)



#### **Head Office**










## ON GROUND (3 LEVEL-SIDE VIEW)



#### **Head Office**

Tonk Road, Jaipur.302018 (Raj.)
Phone +91-0141-6511501, 2709328 Fax: -+91-0141-2707856
www.kamexparking.com, www.kamalcoach.com





## Creating Space

DESCRIPTION(SPECIFICATIONS CAN VARY ACCORDING TO REQUIREMENT)		ON GROUND PUZZLE TYPE PARKING(FULLY AUTOMATIC WITH MANUAL OVERRIDE)
PLATFORM LENGTH(mm)		4700 to 5200
PLATFFORM WIDTH(mm)		2300 to2450
LIFTING CAPACITY PER PLATFORM(Kg)		2000
ELECTRICAL REQUIREMENTS		8.5Kw-3 PHASE 415 VOLT
SPEED	LIFTING	20 sec/shift
	SLIDING	12 Sec/shift
MOTOR	LIFTING	10 HP ON POWER PACK
	SLIDING	4 * 0.25 HP GEAR-BOX
OPEARTION	LIFTING	MOTOR WITH GEAR BOX
	SLIDING	MOTOR WITH GEAR BOX





## SALIENT FEATURES

- It is very safe because of the perfect double safety equipment. The control is very simple, so it can be used easily by everyone.
- The two level type is more favourable when a large –sized underground parking lot is designed.
- Simple demand of earthwork. Very flexible, can be arranged according to various landform
- Less power consumption, energy conservation and environment protection.
- Very short parking/retrieval cycle.

